

PK TOWING PLATFORMS

PK d.o.o.
PALFINGER KRAN



www.pk-rijeka.hr

HYDRAULICS SLIDING PLATFORMS

HK 50 HK 65 HK 80



HYDRAULIC SLIDING PLATFORMS - HK

- ◆ **HK 50** - constructed for vehicles up to 5,0 t GVW
- ◆ **HK 65** - constructed for vehicles up to 6,5 t GVW
- ◆ **HK 80** - constructed for vehicles up to 8,0 t GVW

CHARACTERISTICS

- ◆ loading tilting / sliding surface made of aluminium
- ◆ platform with antislid coating
- ◆ clamps for cargo in plateu
- ◆ subframe and tipping frame; steel - galvanized
- ◆ hydraulic winch - sliding
- ◆ removable pulley with 3 instalation positions on the platform
- ◆ removable wheel choks mounted on the platform
- ◆ spot light on platform
- ◆ toolbox made of inox
- ◆ side under run protection and side lights



HYDRAULICS SLIDING PLATFORMS

HK 100 HK 130 HK 180



HYDRAULICS SLIDING PLATFORMS - HK

- ◆ **HK 100** - constructed for vehicles up to 10,0 t GVW
- ◆ **HK 130** - constructed for vehicles up to 13,0 t GVW
- ◆ **HK 180** - constructed for vehicles up to 18,0 t GVW

CHARACTERISTICS

- ◆ loading tilting / sliding surface made of special steel with high strenght
- ◆ platform with antislid coating
- ◆ the edge profile perforated for cargo binding
- ◆ subframe and tipping frame; steel - galvanized
- ◆ hydraulic winch - sliding
- ◆ removable pulley with 3 instalation positions on the platform
- ◆ removable wheel choks mounted on the platform
- ◆ spot light on platform
- ◆ toolbox made of inox
- ◆ side under run protection and side lights



HYDRAULIC TILTING PLATFORMS

HN 80 HN 100 HN 130 HN 180



HYDRAULIC TITLING PLATFORMS - HN

- ◆ **HN 80** - constructed for vehicles up to 8,0 t GWV
- ◆ **HN 100** - constructed for vehicles up to 10,0 t GWV
- ◆ **HN 130** - constructed for vehicles up to 13,0 t GWV
- ◆ **HN 180** - constructed for vehicles up to 18,0 t GWV

CHARACTERISTICS

- ◆ loading titling / sliding surface made of special steel
- ◆ platform with antislid coating
- ◆ steel ramps - hydraulic lifting
- ◆ removable wheel choks mounted on the platform
- ◆ subframe: steel / galvanized
- ◆ spot light on platform
- ◆ toolbox made of inox
- ◆ mudguards
- ◆ side under run protection and side lights



EQUIPMENT

◆ REMOVABLE WINCH



◆ REMOVABLE PULLEY



◆ TOWING FRAME



◆ PLATEAU PROTECTION



◆ WHEEL CHOKS RETRACTED



◆ WHEEL CHOKS EXTRACTED



◆ REMOVABLE WHEEL CHOKS



◆ ROLLERS FOR EASY SLIDING (for HK)



◆ HOOK ON TOWING FRAME



EQUIPMENT


WORKING REFLECTORS



LIGHT PROTECTION



MANUAL CONTROL



RADIO REMOTE CONTROL




PROTECTION - MUDGUARDS



TRASH CAN



TOOLBOX



HOLDER FOR BROOM AND SHOVELS



ROOF LED SIGNALIZATION



FIXED PLATFORMS

F 75 F100 F 130 F180



FIXED PLATFORMS - F

- ◆ F 75 - constructed for vehicles up to 7,5 t GWV
- ◆ F 100 - constructed for vehicles up to 10,0 t GWV
- ◆ F 130 - constructed for vehicles up to 13,0 t GWV
- ◆ F 180 - constructed for vehicles up to 18,0 t GWV

CHARACTERISTICS

- ◆ usable only with a crane
- ◆ loading area made of steel
- ◆ anti-slide coating
- ◆ toolbox
- ◆ mudguards
- ◆ side under run protection and side lights



EQUIPMENT



◆ CARRIER FOR LIFTING SYSTEM



◆ LIFTING FRAME WITH HYDRAULIC NIVELATION



◆ WHEEL CLAMP



◆ WHEEL CLAMP STRAPS



◆ HOOK ON PLATEAU

